

DECK EQUIPMENT

Deck Equipment by Astral Pool

Portable Lifeguard Chair – Constructed of 1.7" OD stainless steel tube. Seat is 6' above the pool deck. Ideal chair where portability is important. Includes umbrella holder and life ring hook.

AF18164



Portable Lifeguard Chair

Short Chair - Constructed of 1.7" OD stainless steel tube. Seat is 3' above the pool deck. Chair offers a safer alternative to the taller lifeguard chairs.

AF15673



Short Lifeguard Chair

Mid-Height Lifeguard Chair - Constructed of 1.7" OD stainless steel tube. Seat is 5' above the pool deck. This lifeguard chair offers a taller height for excellent visibility.

AF15674



Mid-Height Chair

Heavy-Duty Short Lifeguard Chair – Constructed of 1.9" x .065" stainless steel tube. Seat is 3' above the pool deck. The platform is 38" x 42" and constructed of 100% non-corrosive fiberglass with non-skid surface – no wooden core. Seat is made of molded fiberglass.

AF23293

Heavy-Duty Mid-Height Lifeguard Chair- Constructed of 1.9" x .065" stainless steel tube. Seat is 5' above the pool deck. The platform is 40" x 48" and constructed of 100% non-corrosive fiberglass with non-skid surface – no wooden core. Seat is made of molded fiberglass.

AF23294

Heavy-Duty Permanent Lifeguard Chair- Constructed of 1.9" x .065" stainless steel tube. Seat is 5' above the pool deck. The platform is 20" x 36" and constructed of 100% non-corrosive fiberglass with non-skid surface – no wooden core. The seat is made of molded fiberglass. Chair includes mounting anchor.

AF23295

Rail Goods by Astral Pool

Standard Commercial Ladder – Standard commercial ladders are constructed of a 1.9" OD 304 grade of stainless steel with a polished and buffed finish. Ladders come complete with stainless steel step treads with non-skid inserts, rubber bumpers, and stainless steel hardware. All ladders are offered with a .065", .109", and .145" wall thickness.

Anchors and escutcheons are sold separately.

Call toll-free for price and sizing.



Standard Ladder

Cross Braced Commercial Ladder – Cross-Braced commercial ladders are constructed of a 1.9" OD 304 grade of stainless steel with a polished and buffed finish. Ladders come complete with stainless steel step treads with non-skid inserts, rubber bumpers, and stainless steel hardware. All ladders are offered with a .065", .109", and .145" wall thickness.

Anchors and escutcheons are sold separately.

Call toll-free for price and sizing.



Cross-braced Ladder

2-Bend Stainless Steel Hand Rails – 2-Bend stair rails are constructed of a 1.9" OD 304 grade of stainless steel with a polished and buffed finish. Custom models available. Anchors and escutcheons are sold separately.

Call toll-free for price and sizing.



2-bend Hand Rail

3-Bend Stainless Steel Hand Rails – 3-Bend stair rails are constructed of a 1.9" OD 304 grade of stainless steel with a polished and buffed finish. Custom models available. Anchors and escutcheons are sold separately.

Call toll-free for price and sizing.



3-bend Hand Rail

Cross Braced Deck Mounted Stair Rail – Cross-Braced deck mounted rails are constructed of a 1.9" OD 304 grade of stainless steel with a polished and buffed finish. Custom models available.

Anchors and escutcheons are sold separately.

Call toll-free for price and sizing.



Cross-braced rail

Figure 4 Grab Rail – Figure 4 grab rails are constructed of a 1.9" OD 304 grade of stainless steel with a polished and buffed finish. Anchors and escutcheons are sold separately. Sold in pairs only.

Call toll-free for price and sizing.



Figure 4 rails

Adjustable Figure 4 Grab Rail – Adjustable figure 4 grab rails are constructed of a 1.9" OD 304 grade of stainless steel with a polished and buffed finish. Anchors and escutcheons are sold separately. Sold in pairs only.

Call for price and sizing.



Adjustable Fig. 4

Wall Mounted Hand Rails – Exercise / Therapy Rails – Figure 4 grab rails are constructed of a 1.9" OD 304 grade of stainless steel with a polished and buffed finish. Includes mounting plates and escutcheons.

- AF20742** 36" Exercise / Therapy rail 1.9" O.D. x .065" wall
- AF20743** 48" Exercise / Therapy rail 1.9" O.D. x .065" wall
- AF20744** 60" Exercise / Therapy rail 1.9" O.D. x .065" wall



Exercise / Therapy Rail

Recessed Wall Step – Fabricated of 14 gauge 304 stainless steel with an all welded design. 17" x 5" opening with a slip resistant finish for added safety.

AF20751



Recessed Wall Step

Anchor Set – Set includes 2-1.9" wedge style bronze anchors spaced 20" apart on a stainless steel spacer bar for new construction. Bronze anchors also sold separately.

- AF20752** Anchor set
- AF21175** 1.9 x 4 bronze anchor only



Anchor Set

Line Anchor Cup with Rod – For concrete pools constructed of stainless steel 18/8/2 AISI-316 with interlocking rod system. Allows for easy internal cleaning.

AF09206

Line Anchor Cup With Retractable Hook – For concrete pools constructed of stainless steel 18/8/2 AISI-316. Retractable hook allows cup to remain flush when not in use.

AF00205



AF09206



AF00205

Stanchion Anchors – These anchors are for use with false start stanchions and backstroke indicator stanchions. Construction is AISI 316 stainless steel for maximum corrosion resistance and design is sleeve type for easy installation and removal of brackets or stanchions. For 1.9" tubing only.

AF19960

Stainless Steel Escutcheon Plate – Astral Finish – For 1.9" OD ladder.

AF06669



AF19960



AF06669

FehérGuard Safron Pool Rails, Railings, and Ladders - The alternative to stainless steel rails. Never gets hot, impervious to pool chemicals. No fading from sun exposure. No rusting, pitting, scaling. Solid color throughout. Available in standard or custom colors and designs. Non-conductive, does not require grounding. Easy to clean, NSF-approved material. 5 year warranty from FehérGuard.



Deck /Spa Handrails, Grab and Ring Rails

FehérGuard Spa Handrails

FGP326S HT-47" WD-26"

Deck Mounted 2 Bend Handrails

FGP230D (Pair) HT-25" WD-30"

FGP232D (Pair) HT-25" WD-26"

FGP236D (Pair) HT-25" WD-36"

2-Bend Handrails

FGP248 HT-35" WD-48"

FGP260 HT-35" WD-60"

3-Bend Handrails

FGP360 HT-35" WD-60"

FGP366 HT-35" WD-66"

FGP372 HT-35" WD-72"

Ring Rail

FGP329 HT-19"WD-29"

Return to Deck Handrails / Grab Rails

FGP326 HT-35" WD-26"

FGP340 HT-35" WD-40"

FGP348 HT-35" WD-48"

FG44G 4 Bend HT-35" W-48"

Ladders

FGP324L2 2 Step HT-54" W-24"

FGP324L3 3 Step HT-66" W-24"

FGP324L4 4 Step HT-78" W-24"

FGP534L3 Camelback HT-62" W-24"



FehérGuard Ladder

Exercise Bars *SM=surface mount

FGP036X HT-2" -4" WD-36"

FGP036XSM HT-2" -4" WD-36"

FGP048X HT-2" -4" WD-36"

FGP048XSM HT-2" -4" WD-48"

FGP060X HT-2" -4" WD-60"

FGP060XSM HT-2" -4" WD-60"

FGP072X HT-2" -4" WD-72"

FGP072XSM HT-2" -4" WD-72"

Vinyl Escutcheons (pair) 4.5" Diameter White Plastic Anchors Sockets

Grating by Astral Pool


Flexible Gutter Grating – Unique grating is molded in white U/V resistant polypropylene. Top of grating features an anti-slip finish and grating is composed of individual units connecting along a central spine. Design allows for easier installation without the need for cutting, also allowing the grating to curve as necessary. (13 units per foot, 42 units per meter)

AF00220 (34.61 ft./case) Width 195 mm/ 7-11/16"

AF00221 (23.07 ft./case) Width 245 mm/ 9-5/8"

AF00222 (22.30 ft./case) Width 295 mm/ 11-5/8"

AF00223 (19.23 ft./case) Width 335 mm/ 13-3/16"



Flexible Gutter Grating

Grating Support Channels – Channels provide support for overflow grating. Channels are embedded in concrete along gutter's upper edge.

Priced per unit on price list.

AF00224 Length per unit = 2 meters (6-3/4")

90-Degree Grating Corner – Grating corners are injection molded in fiberglass reinforced polyester and feature the same anti-slip finish as the grating.

AF00229 Width 195 mm/ 7-11/16"

AF00230 Width 245 mm/ 9-5/8"

AF00231 Width 295 mm/ 11-5/8"

AF00232 Width 335 mm/ 13-3/16"



90-Degree Grating Corner

45-Degree Grating Corner – Similar to 90-degree corner, but with a 45-degree bend.

AF00237 Width 195 mm/ 7-11/16"

AF00238 Width 245 mm/ 9-5/8"

AF00239 Width 295 mm/ 11-5/8"

AF00240 Width 335 mm/ 13-3/16"



45-Degree Grating Corner

POOL/SPA COVERS & STORAGE REELS

Solar Pool and Spa Covers - Polyethylene cover with highly buoyant, air-filled bubbles provides insulation and minimizes loss of heat from water evaporation. Reduces heating costs up to 70 percent. Adds up to 10 degrees Fahrenheit to unheated pools.

Solar Pool Cover - 11 mil (5 year limited warranty). **UF84025**

Solar Pool Cover - 15 mil (6 year limited warranty). **UF84030**

Floating Pool Covers – Insulated floating pool cover reduces water evaporation, chemical loss, energy costs, and helps keep a pool cleaner. These pool covers are designed to enable a pool to retain more heat. This is a cost-efficient investment, with pay-back on most covers being in less than one year.

The grades of material are determined by the thread count in the polyethylene fabric, which is identified by taking one square inch of material and counting the number of reinforcing fibers in each direction. The deluxe material uses 12 x 12 count per square inch, and the standard material uses 10 x 10 count per square inch.

The 12 x 12 material is stronger with a bursting strength of 762 psi and is more resistant to abrasion. The 10 x 10 material has a bursting strength of 531 psi.

Edges come in two styles: weighted or hemmed. The 12 x 12 hemmed edges are used for indoor pools or outdoor pools that use only one panel. The 12 x 12 weighted edges are used on outdoor pools to help prevent wind lift. The weighted edge is constructed of four layers of 12 x 12 material wrapped around a weighted, impregnated vinyl strip.

Pool covers are custom designed and fitted to your pool dimensions and specifications.

12 x 12 Floating Pool Covers, Hemmed Edge-

UF94001 - 1-99 sq. ft. cover size

UF94002 - 100-199 sq. ft. cover size

UF94003 - 200-1499 sq. ft. cover size

UF94004 - 1500-2999 sq. ft. cover size

UF94005 - 3000+ sq. ft. cover size

12 x 12 Floating Pool Covers, Weighted Edge-

UF94006 - 1-99 sq. ft. cover size

UF94007 - 100-199 sq. ft. cover size

UF94008 - 200-1499 sq. ft. cover size

UF94009 - 1500-2999 sq. ft. cover size

UF940010 - 3000+ sq. ft. cover size

10 x 10 Floating Pool Covers, Hemmed Edge-

UF940011 - 1-99 sq. ft. cover size

UF940012 - 100-199 sq. ft. cover size

UF940013 - 200-1499 sq. ft. cover size

UF940014 - 1500-2999 sq. ft. cover size

UF940015 - 3000+ sq. ft. cover size

10 x 10 Floating Pool Covers, Weighted Edge-

UF940016 - 1-99 sq. ft. cover size

UF940017 - 100-199 sq. ft. cover size

UF940018 - 200-1499 sq. ft. cover size

UF940019 - 1500-2999 sq. ft. cover size

UF940020 - 3000+ sq. ft. cover size

Safety Covers and Parts – Made from a poly mesh material that is lightweight and strong. Allows water to flow through, filtering out leaves and debris. Great for winterizing a pool.

UF18045 - Safety cover

UF18046 - Replacement pop-up anchors

UF18047 - Replacement screw-up anchors

UF18048 - Allen wrench

UF18060 - Insulated spa cover

Safety Covers by Loop-Loc - Solid pool covers with superior safety features

Loc-solid all-solid safety swimming pool cover – Cover is sold with a Rain Sentry pump to automatically remove any standing water. Use of the pump is required at all times to meet all ASTM Standards for safety swimming pool covers.

Call for price and sizing



Pool Cover

Loc-solid safety swimming pool cover with mesh drainage panels – Built with two mesh panels custom designed and positioned to promote maximum drainage. Each drain panel consists of two individual pieces of mesh fabric to filter out debris.

Call for price and sizing

Commercial Storage Reels

HD Stainless Storage Reels -

SR1001 - 10' Single Storage Reel

SR1002 - 10' Double Storage Reel

SR1003 - 10' Triple Storage Reel

SR1101 - 11' Single Storage Reel

SR1102 - 11' Double Storage Reel

SR1103 - 11' Triple Storage Reel

SR1201 - 12' Single Storage Reel

SR1202 - 12' Double Storage Reel

SR1203 - 12' Triple Storage Reel

SR1301 - 13' Single Storage Reel

SR1302 - 13' Double Storage Reel

SR1303 - 13' Triple Storage Reel

SR1401 - 14' Single Storage Reel

SR1402 - 14' Double Storage Reel

SR1403 - 14' Triple Storage Reel

SR1501 - 15' Single Storage Reel

SR1502 - 15' Double Storage Reel

SR1503 - 15' Triple Storage Reel

SR1601 - 16' Single Storage Reel

SR1602 - 16' Double Storage Reel

SR1603 - 16' Triple Storage Reel

SR1701 - 17' Single Storage Reel

SR1702 - 17' Double Storage Reel

SR1703 - 17' Triple Storage Reel

SR1801 - 18' Single Storage Reel

SR1802 - 18' Double Storage Reel

SR1803 - 18' Triple Storage Reel

SR1901 - 19' Single Storage Reel

SR1902 - 19' Double Storage Reel

SR1903 - 19' Triple Storage Reel

SR2001 - 20' Single Storage Reel

SR2002 - 20' Double Storage Reel

SR2003 - 20' Triple Storage Reel