

**HEATERS - MiniMax Plus –**

**High Performance Electronic Ignition Heaters** – Designed for easy and reliable use, the MiniMax Plus features high efficiency, faster heat-up times and lower operating costs. Space-saving and low-profile design.

- Bronze Header
- Standard balanced flue stackless top for outdoor installation
- Quick Flange allows direct glue-in schedule 40 PVC connections
- Designed for high efficiency
- For indoor installation, see Indoor and Outdoor Vent Kits Low profile design with rounded corners
- The MiniMax Plus Standard Heaters now use a newly designed flow valve that incorporates a molded plastic design and improved performance. All ASME MiniMax Plus Heaters continue to use the brass type flow valve
- Electrical requirement 110/220 at less than 1 amp
- Two-year Warranty

**\*\*Available in High Altitude and High Altitude-ASME models** – (dimensions and weights are the same) call toll-free for further information

**-- Product Number --**

<u>Natural</u>	<u>Propane</u>	<u>Model</u>	<u>Dim. A</u>	<u>Dual Thermostat</u>	<u>BTUs</u>	<u>Wt.</u>
<b>MiniMax Plus</b>						
PA46053	PA46059	150	17-7/8"	Electronic	150,000	148
PA46054	PA46060	200	20-7/8"	Electronic	200,000	159
PA46055	PA46061	250	23-7/8"	Electronic	250,000	170
PA46056	PA46062	300	26-7/8"	Electronic	300,000	181
PA46057	PA46063	350	29-7/8"	Electronic	350,000	192
PA46058	PA46064	400	33-3/8"	Electronic	400,000	202
<b>MiniMax Plus - ASME</b>						
PA46077	PA46083	150A	17-7/8"	Electronic	150,000	148
PA46078	PA46084	200A	20-7/8"	Electronic	200,000	159
PA46079	PA46085	250A	23-7/8"	Electronic	250,000	170
PA46080	PA46086	300A	26-7/8"	Electronic	300,000	181
PA46081	PA46087	350A	29-7/8"	Electronic	350,000	192
PA46082	PA46088	400A	33-3/8"	Electronic	400,000	202

<u>Model</u>	<u>A Dim.</u>	<u>B Dim.</u>
150	17-7/8"	6-1/2"
200	20-7/8"	9-1/2"
250	23-7/8"	12-1/2"
300	26-7/8"	15-1/2"
350	29-7/8"	18-1/2"
400	33-3/8"	23-3/8"



**MiniMax Plus –**

**High Performance Millivolt Ignition Heaters** – Designed for easy and reliable use, the MiniMax Plus features faster heat-up times and lower operating costs. Space-saving and low-profile design.

- Bronze Header
- Standard built-in stackless top
- Quick Flange allows direct glue-in schedule 40 PVC connections
- Designed for high efficiency
- For indoor installation, see Indoor and Outdoor Vent Kits Low profile design with rounded corners
- The MiniMax Plus Standard Heaters now use a newly designed flow valve that incorporates a molded plastic design and improved performance. All ASME MiniMax Plus Heaters continue to use the brass type flow valve
- Two-year Warranty

**\*\*Available in High Altitude and High Altitude-ASME models** – (weights are the same) call toll-free for further information

**-- Product Number --**

<u>Natural</u>	<u>Propane</u>	<u>Model</u>	<u>Dual Thermostat</u>	<u>BTUs</u>	<u>Wt.</u>
<b>MiniMax Plus</b>					
PA460113	PA460119	150M	Mechanical	150,000	152
PA460114	PA460120	200M	Mechanical	200,000	161
PA460115	PA460121	250M	Mechanical	250,000	177
PA460116	PA460122	300M	Mechanical	300,000	185
PA460117	PA460123	350M	Mechanical	350,000	196
PA460118	PA460124	400M	Mechanical	400,000	215
<b>MiniMax Plus – ASME</b>					
PA460137	PA460143	150MA	Mechanical	150,000	152
PA460138	PA460144	200MA	Mechanical	200,000	161
PA460139	PA460145	250MA	Mechanical	250,000	177
PA460140	PA460146	300MA	Mechanical	300,000	185
PA460141	PA460147	350MA	Mechanical	350,000	196
PA460142	PA460148	400MA	Mechanical	400,000	215



**PowerMax Venting System –**

**Complete with MiniMax Electronic Ignition Heater** – The PowerMax Induced Draft Assembly comes complete with the appropriate MiniMax heater. The PowerMax is designed for those difficult installations both indoors and outdoors where proper ventilation air is limited. This system uses a 155 volt 3200 RPM Blower to force the air out of the heater and away to ensure that the heater is venting properly.

- Bronze Header
- Electrical requirement 110/220 at less than 2 amps
- Two-year parts and labor Warranty

**\*\*Available in Electronic High Altitude and Electronic High Altitude-ASME models –** call toll-free for further information

**-- Product Number --**

<u>Natural</u>	<u>Propane</u>	<u>Model</u>	<u>BTUs</u>
<b>Electronic</b>			
PA460000	PA460323	PowerMax IID 150	150,000
PA460001	PA460324	PowerMax IID 200	200,000
PA460002	PA460325	PowerMax IID 250	250,000
PA460003	PA460326	PowerMax IID 300	300,000
PA460004	PA460327	PowerMax IID 350	350,000
PA460005	PA460328	PowerMax IID 400	400,000
<b>Electronic ASME</b>			
PA460006	PA460335	PowerMax IID ASME 150	150,000
PA460007	PA460336	PowerMax IID ASME 200	200,000
PA460008	PA460337	PowerMax IID ASME 250	250,000
PA460009	PA460338	PowerMax IID ASME 300	300,000
PA460010	PA460339	PowerMax IID ASME 350	350,000
PA460011	PA460340	PowerMax IID ASME 400	400,000

**PowerMax Kits –**

**Coverts Standard MiniMax Plus to PowerMax Unit**

<u>Part No.</u>	<u>Description</u>	<u>Vent Dia.</u>
PA460048	Kit PowerMax 150	3"
PA460049	Kit PowerMax 200	3"
PA460050	Kit PowerMax 250	4"
PA460051	Kit PowerMax 300	4"
PA460052	Kit PowerMax 350	4"
PA460221	Kit PowerMax 400	4"

**MiniMax 100 and 100 SC –**

**High Performance Pool and Spa Heater** – A compact, lightweight and efficient gas fired high-performance above-ground pool and spa heater that can be connected to schedule 40 CPVC or ABS pipe and has a built-in top. Reliable direct-spark ignition (DSI) system is available in propane or natural gas versions.

- Millivolt standing pilot versions in propane or natural gas
- Fuel gas input of 100,000 btu/hr with thermal efficiency in excess of 82%
- 100 SC fuel gas input of 75,000 btu/hr with thermal efficiency in excess of 82%
- Quiet and dependable operation from packaged burner system
- Bronze Headers
- Quick Flange allows 1 ½ FIP connect
- Controls have been designed for very easy access and are user-friendly
- Low profile and lightweight. Perfect for one-person installation.
- One-year Warranty



**-- Product Number --**

<u>Natural</u>	<u>Propane</u>	<u>Model</u>	<u>Ignition Type</u>	<u>Wt.</u>
<b>MiniMax 100</b>				
PA460347	PA460348	100 DSI	Electronic	115
PA460352	PA460353	100 MV	Millivolt	115
PA460387	PA460388	100 DSI	Electronic	115
<b>MiniMax 100 SC for Southern California Only</b>				
PA460399	---	100 DSI	Electronic	115
<b>CGA Approved for Canada</b>				
PA460358	PA460359	100 DSI	Electronic	115
PA460360	PA460361	100 MV	Millivolt	115
PA471187	Vent Kit for MiniMax 100, indoor installation, diameter 5"			
PA471357	Vent Kit for MiniMax 100, outdoor installation, diameter 5"			

**Commercial MiniMax –**

**High Performance Electronic Ignition Heaters** – The MiniMax Commercial pool heater models 525, 750, and 900 are designed for indoor and outdoor installation. All these models operate with an electronic ignition for natural gas or propane fuel. All heaters are equipped with two thermostats on the front of the heater control panel.

- 525,000, 750,000, and 900,000 BTU models available
- Commercial LOW NOx Heaters available
- Racking system available for multiple heater installations
- Selector dials eliminate constant thermostat adjustments
- Six indicator lights for easy operation
- Bronze Headers
- All ASME certified
- One-year warranty

**-- Product Number --**

<u>Natural</u>	<u>Propane</u>	<u>Model</u>	<u>BTUs</u>	<u>Wt.</u>
<b>MiniMax High Performance Electronic Ignition Heaters</b>				
PA460258	PA460261	525	525,000	270
PA460259	PA460262	750	750,000	320
PA460260	PA460263	900	900,000	396
<b>Commercial PowerMax High Performance Electronic Ignition Heaters</b>				
<b>PA460368</b>	<b>PA460369</b>	<b>525</b>	<b>525,000</b>	<b>270</b>
PA460366	PA460367	750	750,000	320
PA460364	PA460365	900	850,000	396
<b>Low Nox Commercial Heaters</b>				
PA460384	---	525	525,000	270
PA460385	---	750	750,000	320
PA460386	---	900	900,000	396
<b>Commercial Heater Racking System</b>				
PA471541	Commercial Heater Stacking Rack			

<u>Model</u>	<u>A Dim.</u>	<u>B Dim.</u>	<u>C Dim.</u>	<u>D Dim.</u>	<u>E Dim.</u>	<u>E Dim.<sub>1</sub></u>
525	33-1/2"	25"	18"	63"	12"	5"
750	44"	33"	18"	65"	12"	6"
900	51"	40"	18"	67"	14"	6"

*1 Vent diameter dimensions are for Commercial PowerMax High Performance Electronic Ignition Heaters only*

**Indoor and Outdoor Vent Kits –**

**For MiniMax Plus and PowerMax**

<b>----- Indoor Installation -----</b>			<b>----- Outdoor Installation, if required -----</b>			
<u>Product No.</u>	<u>Model</u>	<u>for Heater</u>	<u>Product No.</u>	<u>Model</u>	<u>for Heater</u>	<u>Vent Dia.</u>
PA471187	---	100	PA471357	---	100	5"
PA460227	DH15	150	PA460237	OV15	150	6"
PA460228	DH20	200	PA460222	OV20	200	7"
PA460230	DH25	250	PA460223	OV25	250	7"
PA460231	DH30	300	PA460224	OV30	300	8"
PA460233	DH35	350	PA460225	OV35	350	9"
PA460234	DH40	400	PA460226	OV40	400	10"
<b>For Commercial MiniMax Heaters</b>						
PA460355	DH525	525	PA460354	OV525	525	10"
PA460320	DH750	750	PA460318	OV750	750	12"
PA460321	DH900	900	PA460319	OV900	900	14"

**Vent Kits for PowerMax Heaters - Outdoor Installation**

<u>Product No.</u>	<u>for Heater</u>	<u>Vent Dia.</u>
PA471395	150-200	3"
PA471396	250-400	4"

**Thru-Wall Vent Kits for PowerMax Heaters**

<u>Part No.</u>	<u>Heater Model</u>	<u>Dim. A</u>	<u>Dim. B</u>	<u>Dim. C</u>	<u>Dim. D</u>	<u>Dim. E</u>	<u>Dim. F</u>
PA471531	150 & 200	3" Dia.	5" Dia.	8-1/2"	4-3/8"	8-7/8"	7-5/8"
PA471532	250 – 400	4" Dia.	6" Dia.	8-1/2"	6-5/16"	12-5/8"	10-5/8"
PA471543	525	5" Dia.	8" Dia.	8-1/2"	8"	12-5/8"	10-5/8"
PA471544	750 & 900	6" Dia.	8" Dia.	8-1/2"	9-5/8"	12-5/8"	10-5/8"

**Mighty Therm Model AP**

**By Teledyne Laars** — Mighty Therm Model AP Heaters are energy efficient and compact, designed for commercial, institutional, and large residential pools where economical performance and rapid heat-up are needed. Available in 23 sizes to precisely match any heating requirement, the Mighty Therm is sized from 500,000 to 5,000,000 btu/hr input indoor or outdoor models.

**Call toll-free for further information, ordering information, and pricing.**

**Laars Lite Pool Heaters****Millivolt - Natural Gas Single Thermostat**

TLLG125N	LLG-125 Pool and Spa Heater natural gas
TLLG175N	LLG-175 Pool and Spa Heater natural gas
TLLG250N	LLG-250 Pool and Spa Heater natural gas
TLLG325N	LLG-325 Pool and Spa Heater natural gas
TLLG400N	LLG-400 Pool and Spa Heater natural gas

**Millivolt - Propane Single Thermostat**

TLLG125LP	LLG-125 Pool and Spa Heater liquid pro
TLLG175LP	LLG-175 Pool and Spa Heater liquid pro
TLLG250LP	LLG-250 Pool and Spa Heater liquid pro
TLLG325LP	LLG-325 Pool and Spa Heater liquid pro
TLLG400LP	LLG-400 Pool and Spa Heater liquid pro

**LJ Heaters****Electronic - Natural Gas Dual Thermostat**

TLLJ125N	LLJ-125 Pool and Spa Heater natural gas
TLLJ175N	LLJ-175 Pool and Spa Heater natural gas
TLLJ250N	LLJ-250 Pool and Spa Heater natural gas
TLLJ325N	LLJ-325 Pool and Spa Heater natural gas
TLLJ400N	LLJ-400 Pool and Spa Heater natural gas

**Electronic - Propane Dual Thermostat**

TLLJ125LP	LLJ-125 Pool and Spa Heater electric liq pro
TLLJ175LP	LLJ-175 Pool and Spa Heater electric liq pro
TLLJ250LP	LLJ-250 Pool and Spa Heater electric liq pro
TLLJ325LP	LLJ-325 Pool and Spa Heater electric liq pro
TLLJ400LP	LLJ-400 Pool and Spa Heater electric liq pro

**Electronic - Natural Gas Digital Thermostat**

TLLJ125N	LLJ-125 Pool and Spa Heater electric nat gas
TLLJ175N	LLJ-175 Pool and Spa Heater electric nat gas
TLLJ250N	LLJ-250 Pool and Spa Heater electric nat gas
TLLJ325N	LLJ-325 Pool and Spa Heater electric nat gas
TLLJ400N	LLJ-400 Pool and Spa Heater electric nat gas

**LX Series Heaters****Electronic - Natural Gas**

TLLX250N	LLX-250 Pool and Spa Heater electric nat gas
TLLX400N	LLX-400 Pool and Spa Heater electric nat gas

**Electronic - Propane**

TLLX250LP	LLX-250 Pool and Spa Heater electric liq pro
TLLX400N	LLX-400 Pool and Spa Heater electric liq pro

**Hi-E2 Heaters - Electronic Natural Gas Dual Thermostat**

TLHE220	Hi-E2 Electronic Dual Thermostat
TLHE350	Hi-E2 Electronic Dual Thermostat

**ASME Laars Heaters****Millivolt - Natural Gas ASME**

TLLG125NASME	LLG-125 Pool and Spa Heater Nat ASME
TLLG175NASME	LLG-175 Pool and Spa Heater Nat ASME
TLLG250NASME	LLG-250 Pool and Spa Heater Nat ASME
TLLG325NASME	LLG-325 Pool and Spa Heater Nat ASME
TLLG400NASME	LLG-400 Pool and Spa Heater Nat ASME

**Millivolt - Liquid Propane ASME**

TLLG125LPASME	LLG-125 Pool and Spa Heater Liquid Pro ASME
TLLG175LPASME	LLG-175 Pool and Spa Heater Liquid Pro ASME
TLLG250LPASME	LLG-250 Pool and Spa Heater Liquid Pro ASME
TLLG325LPASME	LLG-325 Pool and Spa Heater Liquid Pro ASME
TLLG400LPASME	LLG-400 Pool and Spa Heater Liquid Pro ASME

**Electronic - Natural Gas ASME**

TLLJ125NASME	LLJ-125 Pool / Spa Heater elect. nat. gas ASME
TLLJ175NASME	LLJ-175 Pool / Spa Heater elect. nat. gas ASME
TLLJ250NASME	LLJ-250 Pool / Spa Heater elect. nat. gas ASME
TLLJ325NASME	LLJ-325 Pool / Spa Heater elect. nat. gas ASME
TLLJ400NASME	LLJ-400 Pool / Spa Heater elect. nat. gas ASME

**Electronic - Propane ASME**

TLLJ125LPASME	LLJ-125 Pool / Spa Heater elect. liq pro ASME
TLLJ175LPASME	LLJ-175 Pool / Spa Heater elect. liq pro ASME
TLLJ250LPASME	LLJ-250 Pool / Spa Heater elect. liq pro ASME
TLLJ325LPASME	LLJ-325 Pool / Spa Heater elect. liq pro ASME
TLLJ400LPASME	LLJ-400 Pool / Spa Heater elect. liq pro ASME

*Also available in Cupro - Nickle for Salt Water Applications*

**Draft Hood Assemblies**

TLR10561401	Draffhood Assembly, 125,000 BTU
TLR10561402	Draffhood Assembly, 175,000 BTU
TLR10561403	Draffhood Assembly, 250,000 BTU
TLR10561404	Draffhood Assembly, 325,000 BTU
TLR10561405	Draffhood Assembly, 400,000 BTU

**Commercial AP Heaters****Indoor Heaters**

TL500NIN	500,000 BTU Natural gas heater
TL600NIN	600,000 BTU Natural gas heater
TL715NIN	715,000 BTU Natural gas heater
TL850NIN	850,000 BTU Natural gas heater
TL1200NIN	1,200,000 BTU Natural gas heater
TL1430NIN	1,430,000 BTU Natural gas heater
TL1670NIN	1,670,000 BTU Natural gas heater
TL1825NIN	1,825,000 BTU Natural gas heater
TL2000NIN	2,000,000 BTU Natural gas heater
TL2450NIN	2,450,000 BTU Natural gas heater
TL3050NIN	3,050,000 BTU Natural gas heater
TL3500NIN	3,500,000 BTU Natural gas heater
TL4050NIN	4,050,000 BTU Natural gas heater
TL4500NIN	4,500,000 BTU Natural gas heater

**Commercial AP Heaters - cont.**

**Outdoor Heaters**

TL500NOD	500,000 BTU Natural gas heater
TL600NOD	600,000 BTU Natural gas heater
TL715NOD	715,000 BTU Natural gas heater
TL850NOD	850,000 BTU Natural gas heater
TL1010NOD	1,010,000 BTU Natural gas heater
TL1200NOD	1,200,000 BTU Natural gas heater
TL1430NOD	1,430,000 BTU Natural gas heater
TL1670NOD	1,670,000 BTU Natural gas heater
TL1825NOD	1,825,000 BTU Natural gas heater
TL2200NOD	2,200,000 BTU Natural gas heater
TL2800NOD	2,800,000 BTU Natural gas heater
TL3200NOD	3,200,000 BTU Natural gas heater
TL3600NOD	3,600,000 BTU Natural gas heater
TL400NOD	4,000,000 BTU Natural gas heater
TL4500NOD	4,500,000 BTU Natural gas heater

**Commercial Pool Heaters**


**By Raypak** – Raypak offers a pool heater that is the most efficient (with up to 82% thermal efficiency), and offers one-of-a-kind engineering and manufacturing innovations. The Raypak commercial pool heater is unrivaled for heating efficiency, operating economy, low-cost installation, and all-around dependability. Heaters are fully tested at the factory to ensure on-site performance. **Call toll-free for further information, ordering information, and pricing.**



**Raypak 2100, 155, 105, and 55 BTU Heaters**

**Electric Spa Heaters**

RP55KW	5.5 KW Electric Heater
RP11KW	11 KW Electric Heater



**Electric Spa 5.5 KW and 11 KW Heaters**

**Bronze Headers**

**Millivolt - Natural Gas**

RP55BMN	55,000 Bronze Header MV nat gas
RP105BMN	105,000 Bronze Header MV nat gas
RP155BMN	155,000 Bronze Header MV nat gas

**Electronic - Natural Gas**

RP55BEN	55,000 Bronze Header elec nat gas
RP105BEN	105,000 Bronze Header elec nat gas
RP155BEN	155,000 Bronze Header elec nat gas


**Millivolt - Propane**

RP55BMLP	55,000 Bronze Header MV nat gas
RP105MLP	105,000 Bronze Header MV nat gas
RP155MLP	155,000 Bronze Header MV nat gas

**Electronic - Propane**

RP55BELP	55,000 Bronze Header elec liq pro
RP105BELP	105,000 Bronze Header elec liq pro
RP155BELP	155,000 Bronze Header elec liq pro

**Capron Headers - Residential 2100 Series**



**Raypak Capron Header**

**Millivolt - Natural Gas**

RP185CMN	185,000 Capron Header MV nat gas
RP265CMN	265,000 Capron Header MV nat gas
RP335CMN	335,000 Capron Header MV nat gas
RP405CMN	405,000 Capron Header MV nat gas

**Digital Electronic Natural Gas**

RP185CEN	185,000 Capron Header elec nat gas
RP265CEN	265,000 Capron Header elec nat gas
RP335CEN	335,000 Capron Header elec nat gas
RP405CEN	405,000 Capron Header elec nat gas

**Millivolt - Propane**

RP185CMLP	185,000 Capron Header MV liq pro
RP265CMLP	265,000 Capron Header MV liq pro
RP335CMLP	335,000 Capron Header MV liq pro
RP405CMLP	405,000 Capron Header MV liq pro

**Digital Electronic - Propane**

RP185CELP	185,000 Capton Header elec liq pro
RP265CELP	265,000 Capton Header elec liq pro
RP335CELP	335,000 Capton Header elec liq pro
RP405CELP	405,000 Capton Header elec liq pro

**Draft Hood Assemblies**

RP003722	55,000 BTU Indoor Draft Hood
RP004897	105,000 BTU Indoor Draft Hood
RP003723	155,000 BTU Indoor Draft Hood
RP006696	185,000 BTU Indoor Draft Hood
RP006697	265,000 BTU Indoor Draft Hood
RP006698	335,000 BTU Indoor Draft Hood
RP006699	400,000 BTU Indoor Draft Hood

**Commercial 2100 Series**

**RP2100 Millivolt Natural Gas ASME**

RPCR185AMN	185 BTU natural gas ASME
RPCR265AMN	265 BTU natural gas ASME
RPCR335AMN	335 BTU natural gas ASME
RPCR405AMN	405 BTU natural gas ASME

**RP2100 Millivolt Liquid Propane**

RPCR185AMP	185 BTU liquid propane ASME
RPCR265AMP	265 BTU liquid propane ASME
RPCR335AMP	335 BTU liquid propane ASME
RPCR405AMP	405 BTU liquid propane ASME

**RP2100 Electronic Natural Gas ASME**

RPCR185AEN	185 BTU electronic nat gas ASME
RPCR265AEN	265 BTU electronic nat gas ASME
RPCR335AEN	335 BTU electronic nat gas ASME
RPCR405AEN	405 BTU electronic nat gas ASME

**RP2100 Electric Liquid Propane ASME**

RPCR185AEP	185 BTU electronic liquid propane ASME
RPCR265AEP	265 BTU electronic liquid propane ASME
RPCR335AEP	335 BTU electronic liquid propane ASME
RPCR405AEP	405 BTU electronic liquid propane ASME

**Raypak AP Heaters**

**Indoor Natural Gas**

RP514NIN	514,000 BTU nat gas heater
RP624NIN	624,000 BTU nat gas heater
RP724NIN	724,000 BTU nat gas heater
RP824NIN	824,000 BTU nat gas heater
RP962NIN	962,000 BTU nat gas heater
RP1125NIN	1,125,000 BTU nat gas heater
RP1223NIN	1,223,000 BTU nat gas heater
RP1336NIN	1,336,000 BTU nat gas heater
RP1468NIN	1,468,000 BTU nat gas heater
RP1631NIN	1,631,000 BTU nat gas heater
RP1826NIN	1,826,000 BTU nat gas heater
RP2100NIN	2,100,000 BTU nat gas heater
RP2500NIN	2,500,000 BTU nat gas heater
RP3001NIN	3,000,000 BTU nat gas heater
RP3500NIN	3,500,000 BTU nat gas heater
RP4001NIN	4,000,000 BTU nat gas heater

**Outdoor Natural Gas**

RP514NOD	514,000 BTU nat gas heater
RP624NOD	624,000 BTU nat gas heater
RP724NOD	724,000 BTU nat gas heater
RP824NOD	824,000 BTU nat gas heater
RP962NOD	962,000 BTU nat gas heater
RP1083NOD	1,083,000 BTU nat gas heater
RP1178NOD	1,178,000 BTU nat gas heater
RP1287NOD	1,287,000 BTU nat gas heater

**Electrical Heaters for Pools and Spas**

**By Coates** – Standard features: built-in flow switch to prevent operation of heater without water flow; stainless steel vessel; incoloy heating element; close differential thermostat; high temperature limit, manual reset; flow switch; element pilot light; element sequencing of single-phase heaters; internal protective fusing; easy electrical terminal blocks.

**Electric Spa Heaters**

CO6ILS	6IL-S 5.75 KW S/S 240V Heater
CO12406ST	5.5 KW Heater w/Brass Vessel
CO12411ST	11 KW Heater w/Brass Vessel
COJTH	JTH-15 1.5 KW Inline Bathtub Heater

**Electric Pool Heaters**

CO12412CE	12 KW 240V Pool Heater
CO12415CE	15 KW 240V
CO12418CE	18 KW 240V
CO12424CPH	24 KW 240V
CO1240CPH	30 KW 240V
CO12436PHS	36 KW 240V
CO12445PHS	45 KW 240V
CO12454PHS-4	54 KW 240V



**Electric Pool and Spa Heater**



**Electric Pool Heater**

*Pool heaters in 208V, 240V and 480V 3 Phase also available upon request. All heaters have stainless tank with built in flow switch.*